



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/020,701	12/12/2001	Wah Yiu Kwong	ITL.0681US (P12999)	9547
21906 7590 11/24/2009 TROP, PRUNER & HU, P.C. 1616 S. VOSS ROAD, SUITE 750 HOUSTON, TX 77057-2631			EXAMINER BAUM, RONALD	
			ART UNIT 2439	PAPER NUMBER
			MAIL DATE 11/24/2009	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/020,701	Applicant(s) KWONG ET AL.	
	Examiner RONALD BAUM	Art Unit 2439	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 July 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-11 and 13-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 3-11 and 13-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This action is in reply to applicant's correspondence of 14 July 2009.
2. Claims 1, 3-11 and 13-20 are pending for examination.
3. Claims 1, 3-11 and 13-20 remain rejected.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 3-11 and 13-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Clough et al, U.S. Patent No. 5,379,057 and further in view of Ultimaco Safeware AG, 'SafeGuard Easy', Ultimaco Safeware AG, 08/2000, entire document, <http://web.archive.org/web/20000301132302/www.ultimaco.de/english/index1.htm> ('Ultimaco').

It is noted that Clough et al, does not disclose the specific use of a pre-boot authentication/security application per se as an installable application to perform the fundamental computer access control functions insofar as security/system use authorization for multiple users is concerned. However, the examiner asserts that it would have been obvious to one ordinary skill in the art at the time the invention was made for a portable computer system of Clough et al to require controlled access by users, especially in the case of a portable (i.e., legitimately or illegitimately removable for access thereof), via the installation of the Ultimaco 'SafeGuard Easy' pre operating system access control application.

Art Unit: 2439

Such motivation to combine would be obvious in light of the Ultimaco inventive concept is clearly directed to at least a standard system/PC product environment (i.e., MS Windows TM), where standard system/PC products that are portable and used by multiple users/applications would clearly required controlled access to the system resources (i.e., the Ultimaco 'SafeGuard Easy' encrypts/secures the hard drive for subsequent decryption/access during the operating system boot process).

A recitation directed to the manner in which a claimed apparatus is intended to be used does not distinguish the claimed apparatus from the prior art if prior art has the capability to do so (See MPEP 2114 and Ex Parte Masham, 2 USPQ2d 1647 (1987).

Prior Art's Broad Disclosure vs. Preferred Embodiments

As concerning the scope of applicability of cited references used in any art rejections below, as per MPEP § 2123, subsection R.5. Rejection Over Prior Art's Broad Disclosure

Instead of Preferred Embodiments:

I. PATENTS ARE RELEVANT AS PRIOR ART FOR ALL THEY CONTAIN "The use of patents as references is not limited to what the patentees describe as their own inventions or to the problems with which they are concerned. They are part of the literature of the art, relevant for all they contain." In re Heck, 699 F.2d 1331, 1332-33, 216 USPQ 1038, 1039 (Fed. Cir. 1983) (quoting In re Lemelson, 397 F.2d 1006, 1009, 158 USPQ 275, 277 (CCPA 1968)). A reference may be relied upon for all that it would have reasonably suggested to one having ordinary skill the art, including nonpreferred embodiments. Merck & Co. v. Biocraft Laboratories, 874 F.2d 804, 10 USPQ2d 1843 (Fed. Cir.), cert. denied, 493 U.S. 975 (1989). See also > Upsher-Smith Labs. v. Pamlab, LLC, 412 F.3d 1319, 1323, 75 USPQ2d 1213, 1215 (Fed. Cir. 2005)(reference disclosing optional inclusion of a particular component teaches compositions that both do and do not contain that component);< Celeritas Technologies Ltd. v. Rockwell International Corp., 150 F.3d 1354, 1361, 47 USPQ2d 1516, 1522-23 (Fed. Cir. 1998) (The court held that the prior art anticipated the claims even though it taught away from the claimed invention.). >See also MPEP § 2131.05 and § 2145, subsection X.D., which discuss prior art that teaches away from the claimed invention in the context of anticipation and obviousness, respectively.<

II. NONPREFERRED AND ALTERNATIVE EMBODIMENTS CONSTITUTE PRIOR ART

Disclosed examples and preferred embodiments do not constitute a teaching away from a broader disclosure or nonpreferred embodiments. In re Susi, 440 F.2d 442, 169 USPQ 423 (CCPA 1971). "A known or obvious composition does not become patentable simply because it has been described as somewhat inferior to some other product for the same use." In re Gurley, 27 F.3d 551, 554, 31 USPQ2d 1130, 1132 (Fed. Cir. 1994). Furthermore, "[t]he prior art's mere disclosure of more than one alternative does not constitute a teaching away from any of these alternatives because such disclosure does not criticize, discredit, or otherwise discourage the solution claimed...." In re Fulton, 391 F.3d 1195, 1201, 73 USPQ2d 1141, 1146 (Fed. Cir. 2004).

Clough et al *generally* teaches and suggests (i.e., Abstract, figures 1-14 and associated descriptions in general) the limitations set forth in the claims below.

Art Unit: 2439

5. As per claim 1; “A method comprising:

receiving a password through

a graphical user interface [*figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, whereas the portable integrated computer system with associated touch screen, software configurable keyboard, optional memory configurations, installable applications (e.g., downloadable or external memory transferable) etc., comprising a microprocessor based controller and associated integrated peripheral logic/circuitry (e.g., video graphic components) generates the Ultimaco 'SafeGuard Easy' GUI that controls the user authentication process (i.e., 'receiving a password through ... '), insofar as the associated bootable controlling software/operating system is powered up, encompassing the claimed limitations, as broadly interpreted by the examiner.*];

after receiving said password,

comparing said password to

stored information using

a graphic controller [*figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, whereas the portable integrated computer system with associated touch screen, software configurable keyboard, optional memory configurations, installable applications, etc., comprising a microprocessor based controller and associated integrated peripheral logic/circuitry (e.g., video graphic components 'a graphic controller ') generates the Ultimaco 'SafeGuard Easy' GUI that controls the (pre-boot)*

Art Unit: 2439

user authentication process (i.e., 'receiving ... comparing ... said password ... stored information using ... graphic controller '), insofar as the associated bootable controlling software/operating system is powered up, encompassing the claimed limitations, as broadly interpreted by the examiner.]; and

booting an operating system after

comparing said password to

stored information [figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, whereas the system Ultimaco 'SafeGuard Easy' controls the user authentication process (i.e., 'booting ... after comparing ... '), insofar as the associated bootable controlling software/operating system is subsequently booted, encompassing the claimed limitations, as broadly interpreted by the examiner.].”.

Further, as per claim 11, this claim is the embodied method software for the method claim 1 above, and is rejected for the same reasons provided for the claim 1 rejection.

6. Claim 3 **additionally** recites the limitation that; “The method of claim 1 including generating said graphical user interface using said graphics controller.”.

The teachings of Clough et al are directed towards such limitations (i.e., figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, whereas the system touch screen,

Art Unit: 2439

associated integrated peripheral logic/circuitry (e.g., video graphic components encompassing the 'graphics controller' as an integrated component (i.e., on the main circuit board)) generates the Ultimaco 'SafeGuard Easy' GUI that controls the user authentication process, insofar as the associated bootable controlling software/operating system is powered up, encompassing the claimed limitations, as broadly interpreted by the examiner.).

Further, as per claim 13, this claim is the embodied method software for the method claim 3 above, and is rejected for the same reasons provided for the claim 3 rejection.

7. Claim 4 *additionally recites* the limitation that; “The method of claim 3 including storing information for
- generating said graphical user interface on
- an option memory.”.

The teachings of Clough et al are directed towards such limitations (i.e., figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, whereas the system touch screen, associated integrated peripheral logic/circuitry (e.g., video graphic components encompassing the 'graphics controller' as an integrated component (i.e., on the main circuit board)) generates the Ultimaco 'SafeGuard Easy' GUI that controls the user authentication process, insofar as the integrated associated memory (e.g., system RAM, graphic controller registers and associated memory, etc.) and peripheral memory (e.g., floppy, RAM sticks, memory cards, etc.), encompasses the claimed limitations, as broadly interpreted by the examiner.).

Art Unit: 2439

Further, as per claim 14, this claim is the embodied method software for the method claim 4 above, and is rejected for the same reasons provided for the claim 4 rejection.

8. Claim 5 *additionally recites* the limitation that; “The method of claim 3 including using boot code running on a graphics controller to generate the graphical user interface.”.

The teachings of Clough et al are directed towards such limitations (i.e., figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, whereas the system touch screen, associated integrated peripheral logic/circuitry (e.g., video graphic components encompassing the 'graphics controller' as an integrated component (i.e., on the main circuit board)) generates the Ultimaco 'SafeGuard Easy' GUI that controls the user authentication process, insofar as the video graphic components, main circuit board with associated processor/program memory that controls the video graphic components, encompasses the claimed limitations, as broadly interpreted by the examiner.).

Further, as per claim 15, this claim is the embodied method software for the method claim 5 above, and is rejected for the same reasons provided for the claim 5 rejection.

9. Claim 6 *additionally recites* the limitation that; “The method of claim 3 wherein generating a graphical user interface includes generating a graphical user interface to enable the user to input said password.”.

Art Unit: 2439

The teachings of Clough et al are directed towards such limitations (i.e., figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, whereas the system touch screen, associated integrated peripheral logic/circuitry generates the Ultimaco 'SafeGuard Easy' GUI that controls the user authentication process (' generating a graphical user interface ... user to input a password ...'), encompassing the claimed limitations, as broadly interpreted by the examiner.).

Further, as per claim 16, this claim is the embodied method software for the method claim 6 above, and is rejected for the same reasons provided for the claim 6 rejection.

10. Claim 7 *additionally recites* the limitation that; “The method of claim 6 wherein generating a graphical user interface includes
generating an on-screen keyboard.”.

The teachings of Clough et al are directed towards such limitations (i.e., figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, and more particularly col. 2, lines 15-23, 53-63, whereas the system touch screen, associated integrated peripheral logic/circuitry generates the Ultimaco 'SafeGuard Easy' GUI that controls the user authentication process (' generating a graphical user interface ... generating an on-screen keyboard '), encompassing the claimed limitations, as broadly interpreted by the examiner.).

Further, as per claim 17, this claim is the embodied method software for the method claim 7 above, and is rejected for the same reasons provided for the claim 7 rejection.

Art Unit: 2439

11. Claim 8 *additionally recites* the limitation that; “The method of claim 1 including receiving inputs from the user through the graphical user interface without a keyboard.”.

The teachings of Clough et al are directed towards such limitations (i.e., figures 1-5 and accompanying descriptions, col. 1,lines 59-col. 4,line 3, and more particularly col. 2,lines 15-23, 53-63, whereas the system touch screen, associated integrated peripheral logic/circuitry generates the Ultimaco 'SafeGuard Easy' GUI that controls the user authentication process (' receiving inputs from the user ... without a keyboard '), encompassing the claimed limitations, as broadly interpreted by the examiner.).

Further, as per claim 18, this claim is the embodied method software for the method claim 8 above, and is rejected for the same reasons provided for the claim 8 rejection;

12. Claim 9 *additionally recites* the limitation that; “The method of claim 1 including authenticating a user and allowing the operating system to boot if the user has been authenticated.”.

The teachings of Clough et al are directed towards such limitations (i.e., figures 1-5 and accompanying descriptions, col. 1,lines 59-col. 4,line 3, whereas the system Ultimaco 'SafeGuard Easy' controls the user authentication process ('... authenticating a user ...'), insofar as the associated bootable controlling software/operating system is subsequently booted ('...

Art Unit: 2439

allowing the operating system to boot if ...'), encompassing the claimed limitations, as broadly interpreted by the examiner.).

Further, as per claim 19, this claim is the embodied method software for the method claim 9 above, and is rejected for the same reasons provided for the claim 9 rejection.

13. Claim 10 *additionally recites* the limitation that; “The method of claim 9 including receiving a password entered
without a keyboard
using the graphical user interface.”.

The teachings of Clough et al are directed towards such limitations (i.e., figures 1-5 and accompanying descriptions, col. 1, lines 59-col. 4, line 3, and more particularly col. 2, lines 15-23, 53-63, whereas the system touch screen, associated integrated peripheral logic/circuitry generates the Ultimaco 'SafeGuard Easy' GUI that controls the user authentication process ('receiving a password entered ... without a keyboard ... using the graphical user interface '), encompassing the claimed limitations, as broadly interpreted by the examiner.).

Further, as per claim 20, this claim is the embodied method software for the method claim 10 above, and is rejected for the same reasons provided for the claim 10 rejection.

Response to Arguments

Art Unit: 2439

14. As per applicant's argument concerning the lack of the various teachings by Clough et al and Ultimaco, dealing with the lack of GUI functions prior to operating system boot ('... *the pertinent timeframe* ...'), the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive.

At the very least, since the Clough et al computer is a general-purpose configurable, keyboard-less computer using a touch screen display (e.g., Abstract), and is typically configurable with known (i.e., industry standard, commercially available) operating systems (OS) such as MS-DOS (e.g., col. 7, lines 24-45); and such configurations comprise pre-boot setup (e.g., hit the DEL or a specific function key during power-up prior to the OS booting to go to an interactive setup screen) of the various hardware components particular to any given computer (e.g., which drive to subsequently boot from, serial port configuration, memory speed aspects, etc.) compatible with said MS-DOS operating system via a GUI display used to configure said various hardware components (i.e., the default input/output, such as the touch screen display in the case of the Clough et al computer), therefore the references would be applicable in the rejection, such that the rejection support references collectively encompass the said claim limitations in their entirety.

15. As per applicant's argument concerning the lack of the various teachings by Clough et al and Ultimaco, dealing with the graphics controller actually performing the comparison, the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive.

Art Unit: 2439

At the very least, the claim language does not mention that the comparison is performed by the graphic controller/processor; just that the graphic controller/processor (of which said controller/processor is an integral part of the Clough et al computer; irrespective of trusted platform configuration issues) is a part of the comparison aspect (i.e., the graphical user interface is clearly used for 'receiving a password thru a graphical user interface' after the Ultimaco Safeguard Easy has been installed, and configured, prior to use during a subsequent power-up), as broadly interpreted by the examiner, and would therefore be applicable in the rejection, such that the rejection support references collectively encompass the said claim limitations in their entirety.

16. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2439

Conclusion

17. Any inquiry concerning this communication or earlier communications from examiner should be directed to Ronald Baum, whose telephone number is (571) 272-3861, and whose unofficial Fax number is (571) 273-3861 and unofficial email is Ronald.baum@uspto.gov. The examiner can normally be reached Monday through Thursday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edan Orgad, can be reached at (571) 272-7884. The Fax number for the organization where this application is assigned is **571-273-8300**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. For more information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ronald Baum

Patent Examiner

/R. B./

Examiner, Art Unit 2439

/Edan Orgad/

Application/Control Number: 10/020,701

Page 14

Art Unit: 2439

Supervisory Patent Examiner, Art Unit 2439